

FIG. 1a




FIG. 1b




FIG. 1c

FIG. 1d




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11



eXtended Info Area
contains:

1 x normal Timecode
Special Info 1
Special Info 2
Special Info 3
1 x normal Timecode
Additional Info 1
Additional Info 2
Additional Info 3
repeat sequence

XAA buffer contains:

only normal Timecode


PCA & PMA contain:

only normal Timecode

Lead-in Area
contains:

Special Info 1
9x normal Timecode
Special Info 2
9x normal Timecode
Special Info 3
9x normal Timecode
repeat sequence

FIG. 12

**Lead-in Area part 1:**

Special Info 1
 9x normal Timecode
 Special Info 2
 9x normal Timecode
 Special Info 3
 9x normal Timecode
 repeat sequence
 (25 repeats of 30 frames)
 (first Special Info 1 at
 Start time of Lead-in + 00:00:09

Lead-in Area part 2:

Special Info 1
 9x normal Timecode
 Special Info 2
 9x normal Timecode
 Special Info 3
 9x normal Timecode
 Additional Info 1
 9x normal Timecode
 Additional Info 2
 9x normal Timecode
 Additional Info 3
 9x normal Timecode
 repeat sequence
 (15 repeats of 60 frames)

Lead-in Area part 3:

Special Info 1
 9x normal Timecode
 Special Info 2
 9x normal Timecode
 Special Info 3
 9x normal Timecode
 repeat sequence

All Sequences in part 1, 2
 and 3 shall be connected
 without interruptions.

FIG. 13